



PT-D200 Labelling Machine

The compact P-touch D200 is the ideal machine to help you organise files, CD cases, shelves and other items in your office.

- Prints durable laminated tape
- Prints 3.5, 6, 9 & 12mm labels
- Create stylish labels using Deco Mode pre-designed layouts
- 14 fonts - 8 alpha, 6 numeric
- 617 symbols, 97 frames
- Fast 20mm/sec print speed

LABELS THAT STICK.

P-touch

Organise your office with the P-touch D200

Clearly labelled items make for a much more efficient workplace. The compact design and easy-to-use features means that labels for CD cases, filing folders, shelving, staff/visitor name badges and many other items, are easily and quickly created. The availability of a wide variety of tape cassettes in various widths and colours, makes the P-touch D200 indispensable.



97 frames

Gives a professional finish to your labels



14 fonts (8 alpha, 6 numeric)

Add style to your labels



Ergonomic keyboard

Makes typing faster and easier



Compact & portable design

Ideal for sharing around the office



AC adaptor slot

Uses batteries or AD-5000ES AC adaptor*



Graphic display

Preview before printing



Design creative labels

Using the "Deco Mode" feature



Over 600 symbols

Emphasise your message



* Optional accessory



P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of seven layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight.

As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.



Water Resistant



Temperature Resistant



Abrasion Resistant



Fade Resistant



Chemical Resistant



Laminated



Easy Peel



Strong Adhesion

PT-D200

Clearly identify items with a durable P-touch label!

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels.



Technical Specifications

Hardware

Print Speed	20mm/sec
Print Resolution	180DPI
Control panel buttons	4: (power, WiFi, feed, cut)
Cutter	Manual cutter
Print Method	Direct thermal
Power supply	6x AAA (LR03 alkaline batteries (not supplied), AD-50000ES Adaptor (not supplied))
Tape type	TZe tape: 3.5, 6, 9, 12mm
Min. / Max. label length	30mm / 300 mm
LCD display	15 chrs x 1 line
LCD size	70 mm x 17 mm
Label memory	2400 chrs (30 areas x 80 chrs)

Built-in Software

Built-in fonts	8 alpha, 6 numeric fonts
Character sizes	3 Sizes
Character widths	3 widths (extended, medium, condensed)
Frames	97
Underline	Yes
Max. number of lines	2 lines
Horizontal alignment	Automatic length labels: left aligned, Pre-set length labels: centre aligned
Tape length setting	Yes (30-300mm)
Tape margin settings	None, narrow, half, full, chain print

Tab Function	Yes
Number of Deco Mode Designs	12 Designs
Numbering	Yes (1-9)
Mirror Printing	Yes
Vertical Printing	Yes
Print Preview	Yes (real preview on graphic display)
Auto Power Off	Yes
Unit Charge	Yes (inch/mm)
Language Change	20 languages: (English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Portuguese)

Included Items

- PT-D200 labelling machine
- 12mm black on white laminated label cassette (4m)
- User guide

Supplies

TZe Tapes	3.5, 6, 9, 12mm
-----------	-----------------

Weights and Dimensions

Dimensions	165 mm(W) x 155 mm(D) x 66 mm(H)
Weight	490g (housing weight)

P-touch

TZe
TAPE

Contact :

PRIME
DOCUMENT SOLUTIONS

PRIME Document Solutions
Ph: 1300 669 668
111 City Rd, Beenleigh 4207, QLD
www.prime.com.au

brother
at your side



facebook.com/brotheraustralia
www.brother.com.au